

Applicant : Gabriel A/S China Office
Rm 703, South Tower Soho Shangdu, No. 8 Dongdaqiao Road,
Chaoyang District, Beijing, 100020
Attn : Anne Dong

Date : Nov 10, 2022

Sample Description As Declared :

No. Of Sample : One
Fibre Content : -
Material : Woven Fabric
Finishing : -
End Uses : -
Colour : Color No.: 61172 Order No.: 06777
Style No. : Chili AP
Order No./PO No. : -
Buyer's Name : Gabriel
Agent's Name : -
Manufacturer's Name : -

Date Received/Date Test Started : Nov 07, 2022

Tests Conducted:

As Requested By The Applicant, For Details Refer To Attached Page(S)

Authorized By :
For Intertek Testing Services
(Tianjin) Ltd.



Patrick Gong
General Manager

Tests Conducted:

1. Abrasion Resistance(ISO 12947-2:2016/AC:2006 according to BS EN 14465); Martindale Wear & Abrasion Tester; 12 kPa Pressure)

Resistance: Face Side

Specimen 1	60000 Rubs
Specimen 2	62000 Rubs
Specimen 3	61000 Rubs
Quoted Result	60000 Rubs

Change In Color After 6000 Rubs: 4-5

Type Of Fabric: Woven Fabric (Without Pile)
Type Of End-Point: Three Threads Completely Broken

2. Pilling Resistance As Received (ISO 12945-2-2000, Modified Martindale Method) :

After A 2000-Cycle Test

Rating 4-5

After A 5000-Cycle Test

Rating 4-5

3. Seam Resistance As Received (ISO 13936-2:2004, Instron, CRE) :

The Mean Seam Opening Under 180 N

// To Warp 1.6 mm
// To Weft 2.2 mm

This report is made solely on the basis of your instructions and/or information and materials supplied by you. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided in those terms and conditions. We have aimed to conduct the Review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or wilful misconduct.