

**Test Report** 

No. AJFS1811011315FF

Date: NOV.27, 2018

Page 1 of 4

### GABRIEL (TIANJIN) INTERNATIONAL TRADING CO., LTD

ROOM 703, SOUTH TOWER, SOHO SHANGDU, CHAOYANG DISTRICT, BEIJING

The following sample(s) was / were submitted and identified on behalf of the client as:

Sample Description: BAILEY

Color: 63016
Style/Item No.: /

#### **Test Requested:**

Flammability in comparison with the requirements of:

EN 1021-1:2014 Furniture – Assessment of the ignitability of upholstered furniture Part 1: Ignition source smouldering cigarette.

Test Results: -- See attached sheet --

#### **Test Period:**

Sample Receiving Date : NOV.16, 2018

Test Performing Date : NOV.16, 2018 TO NOV.21, 2018

Signed for and on behalf of SGS-CSTC Co., Ltd. Anji Branch

Allen Zou

Technical Manager





# **Test Report**

No. AJFS1811011315FF

Date: NOV.27, 2018

Page 2 of 4

#### **Test conducted**

This test was conducted as per EN 1021-1:2014 Furniture – Assessment of the ignitability of upholstered furniture Part 1: Ignition source smouldering cigarette.

#### **Sample Details**

Sample description	Fabric
Color	Orange
Fabric density	361 g/m <sup>2</sup>

#### Conditioning and Cleaning procedure:

Prior to testing:

Cleansed using a water-soak and drying procedure EN 1021-1:2014 Annex D, and then the sample was conditioned at least 72 h in indoor ambient conditions and 24 h in an atmosphere having a temperature of 23±2°C and a relative humidity of 50±5%.

At time of testing: Temperature between 10 °C ~ 30 °C and relative humidity between 15% ~ 80%.

#### **Test Results:**

The following test results relate only to the ignitability of the sample or combination of materials under the particular condition of test; they are not intended as a means of assessing the full potential fire hazard of the materials or products in use.

Clause 3.1 Progressive smouldering ignition		
For the purpose of this European Standard, all the following types of behaviour are considered to be progressive smouldering ignitions		
a) Any test assembly that displays escalating combustion behaviour so that it is unsafe to continue the test and active extinction is necessary;	NO	NO
b) Any test assembly that smoulders until it is largely consumed within the test duration;	NO	NO
c) Any test assembly that smoulders to the extremities of the specimen, viz. upper or lower margins, either side or to its full thickness, within the duration of the test;	NO	NO
d) Whether any test assembly that smoulders after one hour from the application of the ignition source;		NO
e) Any test assembly that, on final examination shows evidence of progressive smouldering.	NO	NO

To be continued...



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.agpx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.agpx and, for electronic format documents, appx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307



# **Test Report** No. AJFS1811011315FF Date: NOV.27, 2018 Page 3 of 4

Clause 3.2 Flaming ignition	1 <sup>st</sup>	2 <sup>nd</sup>
A flaming ignition is considered to be the occurrence of any flames initiated by a smouldering source		NO

Clause 9.3 Final examination: Cases of progressive smouldering ignition undetected from the outside have reported. Immediately after completion of the test programme on the assembly, dismantle it and examine it internally for progressive smouldering ignition, if this is found, extinguish the test assembly, and record an ignition and complete the test report, for safety reason ensure that all smouldering has ceased before the rig is left unattended.

#### **Test Details:**

Cigarette test						
Specimen No.		1 <sup>st</sup>	2 <sup>nd</sup>			
Progressive smouldering (PS) or Flaming (F)		NO	NO			
Duration of	Ignition source (min, sec)	22min46s	23min09s			
	Flames (min, sec)	0s	0s			
	Smoke (min, sec)	22min55s	23min14s			
Finial examination of progressive smouldering (9.3)		NO	NO			
Comments & observations						
Test result		Non-ignition	Non-ignition			

Overall result: [ √ ] Non-ignition; [ ] Smouldering ignition; [ ] Flaming ignition	anition.
--	----------

**Note:** The sample was tested on combination with flame retardant conventional polyurethane foam which is provided by the laboratory, which has a density of 25.0 kg/m<sup>3</sup>. All of these were requested by the client.

To be continued...



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.apx.and">http://www.sgs.com/en/Terms-and-Conditions.apx.and</a>, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.">http://www.sgs.com/en/Terms-en/Conditions/Terms-e-Document.aspx.</a>
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document asdvised that information contained hereon reflects the Company's findings at the time of its invervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

\*\*Attention:To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307

No. 301, Sunlight Road, 2 Block, Sunlight Industry Zone, Anji County, Zhejiang Province, China 313300 t (86-572) 5018825 f (86-572) 5018825 www.sgsgroup.com.cn 中国·浙江·安吉县阳光工业园二区阳光大道301号 邮编:313300 t (86-572) 5018825 f (86-572) 5018829 e sgs.china@sgs.com



# **Test Report**

No. AJFS1811011315FF

Date: NOV.27, 2018

Page 4 of 4

## **Photo Appendix:**



SGS authenticate the photo on original report only \*\*\*End of Report\*\*\*



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-