

Confidential Report

Our Ref: 23/63236o/06/25







Telephone: +44 (0) 113 259 1999 Email: onestopshop@bttg.co.uk

Website: www.bttg.co.uk

Date: 27 June 2025

Our Ref: 23/632360/06/25

Your Ref:

Page: 1 of 4

| Client: | Gabriel A | 1/5 |
|----------|------------|-----|
| Circiic. | Gubi ici i | , |

Hjulmagerve 55 DK-900 Aalborg Denmark

Job Title: Fire Test on One Fabric Sample

Clients Order Ref:

Date of Receipt: 06 June 2025

Date Test Started: 23 June 2025

Description of Sample: One sample of fabric, which was referenced by the client as;

Fame

Work Requested: We were asked to test the received sample to the following standard:

BS EN 1021:Parts 1:2014 - Ignitability of Upholstered Furniture

- subcontracted test, UKAS accredited
- subcontracted test, EN ISO/IEC 17025 accredited
- not UKAS accredited



Note: This report relates only to the items tested.



Telephone: +44 (0) 113 259 1999 Email: onestopshop@bttg.co.uk

Website: www.bttg.co.uk

Date: 27 June 2025

Our Ref: 23/632360/06/25 Your Ref:

> Page: 2 of 4

Gabriel A/S Client:

FIRE TEST ACCORDING TO BS EN 1021-1:2014

Assessment of the ignitability of upholstered furniture. Part I. Ignition Source 0: Smouldering cigarette

Pre-Treatment

The material received no pre-treatment as the fabric is stated to not have an FR treatment.

Conditioning

The materials for testing to Source 0 and 1 were conditioned for a minimum of 24 hours and tested in the environments specified in Clause 7 of BS EN 1021-1 & 2:2014.

The sample was tested in a room of volume 25m³ and 22°C.

Procedure

The test was carried out in accordance with BS EN 1021-1:2014. The sponsor sampled the material and the specimens were cut from the sample received to the dimensions set out in the standard.

The sample was tested over non-fire retardant polyurethane foam with a density of approximately 20-22 kg/m³.

Tests were made using ignition source 0.

Requirements

The specimens shall not:-

Smouldering Criteria

- display escalating combustion requiring active extinction. a)
- smoulder or burn until it is essentially consumed within the test duration. b)
- smoulder or burn to the extremities of the specimen, or through the full thickness, within the duration of the test. c)
- smoulder for more than one hour. d)
- on final examination, show evidence of progressive smouldering.





1066



Telephone: +44 (0) 113 259 1999 Email: onestopshop@bttg.co.uk

Website: www.bttg.co.uk

Date: 27 June 2025

Our Ref: 23/63236o/06/25 Your Ref: --

Page: 3 of 4

Client: Gabriel A/S

Requirements (continued)

Flaming Criteria

a) show evidence of flaming initiated by a smouldering source.

Results

| | Specimen No. | | |
|---|--------------|----|------------|
| Smouldering criteria | 1 | 2 | 3 ¹ |
| Unsafe escalating combustion | No | No | |
| Testing assembly consumed | No | No | |
| Smoulders to extremities/full thickness | No | No | |
| Smoulders more than 1 hour | No | No | |
| In final examination, presence of progressive | No | No | |
| smouldering | | | |

| Flaming criteria | 1 | 2 | 3 ¹ |
|--|----|----|------------|
| Occurrence of flames | No | No | |
| Specimen Result Ignition (I) / Non Ignition (NI) | NI | NI | |

Any "Yes" in smouldering or flaming criteria means Ignition

Note

The test results relate only to the ignitability of the combination of materials under the particular conditions of test; they are not intended as a means of assessing the full potential fire hazard of the materials in use.

Comments

An NI designation indicates that the sample meets the performance requirements of BS EN 1021-1.





1066



Telephone: +44 (0) 113 259 1999 Email: onestopshop@bttg.co.uk

Website: www.bttg.co.uk

27 June 2025 Date:

Our Ref: 23/632360/06/25 Your Ref:

> Page: 4 of 4

Client: Gabriel A/S

Comments

Where required to make a judgement to any pass/fail criteria an estimation of uncertainty of measurement has been taken into account. Under our Policy we have used a non-binary decision rule.

See our decision rules Policy (https://www.bttg.co.uk/about-us/decision-rules-policy/) for further information.

Uncertainty Budget

The overall uncertainty budget for BS EN 1021: Part 1:2014 is as follows:-

Timings: ±2 seconds. Measurements: ±2mm.

...... R Walls, Laboratory Technician Reported by:.....

....... B Bland, Technical Customer Service Officer Countersigned by:....

Enquiries concerning this report should be addressed to Customer Services.





1066