



## TEST REPORT

**Client:** Gabriel  
Hjulgagervej 55  
Postbox 59  
DK-9100 Aalborg  
Denmark

**Entry No:** 109444

**Date received:** 07/05/2019

**Client's Description:** 9 Fabric Samples Savoy 60197, 61216, 61222, 63080, 64144, 65090, 66164, 68148, 68149

**Test Required:** Colour Fastness to Light.

**Date Tests Completed:** 10/06/2019

**Colour Fastness to Light:** BS EN ISO 105-B02: 2014 Method 2


A specimen was exposed together with Standard References numbers 1-8. By comparison with the standard references the grading was found to be:

BWS Rating

60197	8
61216	8
61222	6-7
63080	8
64144	5
65090	8
66164	5
68148	6
68149	7

-----End of Document-----

*This is hereby certified to be a correct return of the tests made of the items referred to herein*



Claire Saville  
Technologist  
12<sup>th</sup> June 2019

- ❖ Unless instructed otherwise by the client sample remnants will be disposed of after 28 days.
  - ❖ Tests marked <sup>N</sup> in this certificate are not included in the UKAS Accreditation Schedule for this Laboratory.
  - ❖ Tests marked <sup>F</sup> in this certificate are performed under the Laboratory's Flexible Scope of Accreditation.
  - ❖ Tests marked <sup>S</sup> in this certificate have been subcontracted to another ISO17025 Accredited Laboratory.
  - ❖ Opinions and interpretations expressed herein are outside the scope of UKAS accreditation.
  - ❖ Uncertainty budgets for test methods contained within this report are available on request.
- This Certificate relates only to the sample received and, unless that sample has been drawn by the staff of this laboratory, or its agent, and endorsed accordingly, any application of the result to a bulk quantity or other material is entirely the responsibility of the client.



1104