

96-D Allen Boulevard Farmingdale, New York 11735-5626 USA Tel. +1 (631) 293-8944 Fax +1 (631) 293-8956 email: govmark.accounting@sgs.com

Page 1

Received: 10/26/2018 Completed: 11/08/2018 Letter: W2	TM P.O. #:	Test Report #:	3-29267-2-
Client's Style: Spin. Content: 100% Trevira CS. Finish: Number of the Content of	None. Weight: 407 g/lm. Co	or: 60011 Grey. Product E	nd Use:
Tested For: Bente Ellingsoe, Quality Department	Key Test:	ASTM D 3511/ACT	140
Gabriel A/S Hjulmagervej 55	Tal.	011 45 0620 2100	E-4.
DK-9000 Aalborg, Denmark		011-45-9630-3100 011-45-9811-6125	Ext:
Test Category: Brush Pill Specifier: ACT NTR 7/16	LE 2015; V 08/15	PC: 4H dl/SM	
TEST PERFORMED: ASTM D 3511 - Standard Test Met Changes of Textiles Fabrics: Brush Pilling Test	thod for Pilling Resi ter Method (LE 2013;	stance and Other Rel V 3/15)	ated Surface
As cited by the ACT Voluntary Performance Gu:	idelines (January 201	5)	
PRODUCT CATEGORY: Upholstery - Woven Fabr	rics		
ACCEPTANCE CRITERIA: Class 3 Minimum Average	2		
RESULTS:			
Specimen # Rating			
1 Class 5			
2 Class 5			
3 Class 5			
Avg: Class 5			
OBSERVATIONS:			
Development of fuzzing observed: [] Yes; [l No		
Color change observed: [] Yes; [Yes	oN [
REMARKS: None.			
RATING SYSTEM:			
Class 5 - No pilling			
Class 4 - Slight pilling			
Class 3 - Moderate pilling Class 2 - Severe pilling			
Class 1 - Very severe pilling			



96-D Allen Boulevard Farmingdale, New York 11735-5626 USA Tel. +1 (631) 293-8944 Fax +1 (631) 293-8956 email: govmark.accounting@sgs.com

			Page 2
Received: 10/26/2018 Completed: 11/08/2018 Letter: W2	TM P.O. #:	Test Report #:	3-29267-2-
Client's Style: Spin. Content: 100% Trevira CS. Finish Upholstery.	n: None. Weight: 407	g/lm. Color: 60011 Grey. Product E	End Use:
Tested For: Bente Ellingsoe, Quality Department Gabriel A/S	K	ey Test: ASTM D 3511/ACT	140
Hjulmagervej 55 DK-9000 Aalborg, Denmark		Tel: 011-45-9630-3100 Fax: 011-45-9811-6125	Ext:
CONCLUSION: Based on the above Results and Ad	cceptance Criteri	.a, the item tested:	
[x] Complies; [] Does not comply			
CERTIFICATION: I certify that the above resuluith the procedures and equipment specified al	lts were obtained bove.	d after testing specimens :	in accordance
Phyllinauthonized signature sgs govmark	s Pettit NOV 2 9 2018		
/jab 0	2 05 2)		
(rage	2 of 2)		